ELSEVIER

Wear 200 (1996) 365

WEAR

Author Index of Volume 200

Alahelisten, A., 225
Andoh, Y., 296

Bahadur, S., 95
Batzar, K., 122
Bhushan, B., 265, 281
Black, A.J., 30
Briscoe, B.J., 137

Chen, Y.K., 83
Cho, Y.-K., 346
Clayton, P., 63, 74

Danyluk, S., 238

Eiss, N.S., 105
Evans, P.D., 137

Fischer, T.E., 206, 233
Fouvry, S., 186
Friedrich, K., 55, 122
Fukui, S., 296

Gallois, B., 233
Granick, S., 328, 346
Guangteng, G., 336

Hanchi, J., 105
Hedenqvist, P., 225
Hirano, M., 296
Hogmark, S., 225
Hollman, P., 225
Hooke, C.J., 83
Hsu, S.M., 154

Israelachvili, J., 328

Jahanmir, S., 176
Jia, K., 206
Jin, N., 74
Johnson, K.L., 38

Kaneko, R., 296
Kapoor, A., 38
Kapsa, P., 186
Kato, K., 148
Komvopoulos, K., 305
Kopalinsky, E.M., 30
Kuhlmann-Wilsdorf, D., 8
Kukureka, S.N., 83

Li, Y., 238
Liao, P., 83
Ludema, K.C., 1
Luengo, G., 328

Miyamoto, T., 296
Mizoh, Y., 252

Nagarajan, V.S., 176
Néder, Z., 55

Olsen, J.E., 233
Osaki, H., 244
Oxley, P.L.B., 30

Pelillo, E., 137
Polineni, V.K., 95

Rao, M., 83

Shen, M.C., 154
Sinha, S.K., 137
Spikes, H., 336
Su, X., 63
Szeri, A.Z., 353

Thomas, P., 122
Torrance, A.A., 45

Umehara, N., 148
Umemura, S., 296

Váradi, K., 55
Vincent, L., 186

Williams, J.A., 38

Xie, Y., 281

Yu, M.M.-H., 265

Zhang, M.Q., 122
Zum Gahr, K.-H., 215

Elsevier Science S.A.

ELSEVIER

Wear 200 (1996) 367–370

WEAR

Subject Index of Volume 200

Abrasion
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
Abrasion resistance
abrasion resistance of nanostructured and conventional cemented carbides, 206
Abrasive particle size
effects of particle size, polishing pad and contact pressure in free abrasive polishing, 281
Adsorbed moisture
what role for contact spots and dislocations in friction and wear?, 8
Alumina ceramic
modeling and microstructural modification of alumina ceramic for improved tribological properties, 215
Amorphization
what role for contact spots and dislocations in friction and wear?, 8
Archard–Holm wear law
what role for contact spots and dislocations in friction and wear?, 8

Bainitic steels
surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling/sliding contact, 63
unlubricated sliding and rolling/sliding wear behavior of continuously cooled, low/medium carbon bainitic steels, 74
Boundary lubrication
fractionation of liquid lubricants at solid surfaces, 336

Ceramic ball
magnetic fluid grinding of advanced ceramic balls, 148
Ceramics
ceramic wear maps, 154
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
Coatings
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
surface engineering and microtribology for microelectromechanical systems, 305
Composite
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
Computational simulation
wear of tribo-elements of video tape recorders, 252
Confined
shear of confined perfluorinated molecules: Effect of side branching, 346
Contact of rough surface
evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 55
Contact pressure
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265
Contacts
on the flow of emulsions in tribological contacts, 353
Contact spots
what role for contact spots and dislocations in friction and wear?, 8
Cookware
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
Copper oxides
tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 95
Crack nucleation fretting mapping
quantification of fretting damage, 186

Dang Van's fatigue criterion
quantification of fretting damage, 186
Deformation
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265
Dental materials
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
Diamond coatings
direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 225
Diamond-like carbon
in situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 233
Direct current bias
direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 225
Dislocations
what role for contact spots and dislocations in friction and wear?, 8

Elastohydrodynamics
fractionation of liquid lubricants at solid surfaces, 336
Elasto-plastic approximation
the influence of surface deformation on mechanical wear, 45
Electrical resistance
what role for contact spots and dislocations in friction and wear?, 8
Emulsion
on the flow of emulsions in tribological contacts, 353
Energy wear factors
quantification of fretting damage, 186
Ester
fractionation of liquid lubricants at solid surfaces, 336

Flash temperatures
what role for contact spots and dislocations in friction and wear?, 8
Flow
on the flow of emulsions in tribological contacts, 353
Fluoropolymer
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122

Elsevier Science S.A.

Four-point probe
dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 238
Fractal geometry
surface engineering and microtribology for microelectromechanical systems, 305
Free abrasive polishing
effects of particle size, polishing pad and contact pressure in free abrasive polishing, 281
Friction
mechanism-based modeling of friction and wear, 1
the friction and wear of polymers in non-conformal contacts, 83
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
in situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 233
Frictional sliding
generalized effects in confined fluids: new friction map for boundary lubrication, 328

Galling
what role for contact spots and dislocations in friction and wear?, 8
Glass-ceramics
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
Glass fabric reinforcement
tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 95
Graphite lubrication
what role for contact spots and dislocations in friction and wear?, 8
Grinding
magnetic fluid grinding of advanced ceramic balls, 148

Hafnia
modeling and microstructural modification of alumina ceramic for improved tribological properties, 215
Heat transfer analysis
evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 55
Helical scan magnetic recorder
wear of tribo-elements of video tape recorders, 252
Hertzian crack formation
dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 238
High-cycle fatigue
quantification of fretting damage, 186
High temperature
tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 105
Hoop apparatus
what role for contact spots and dislocations in friction and wear?, 8
Hot flame diamond deposition
direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 225

Improved tribological properties
modeling and microstructural modification of alumina ceramic for improved tribological properties, 215
Infrared spectroscopy
in situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 233
In-process wear measurement
sliding metallic wear test with in-process wear measurement: a new approach to collecting and applying wear data, 30
In situ composites
tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 105
Interfacial shear work
quantification of fretting damage, 186
Internal reflection
in situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 233

Laser surface alloying
modeling and microstructural modification of alumina ceramic for improved tribological properties, 215
Low/medium carbon
unlubricated sliding and rolling/sliding wear behavior of continuously cooled, low/medium carbon bainitic steels, 74
Lubrication
fractionation of liquid lubricants at solid surfaces, 336
on the flow of emulsions in tribological contacts, 353

Magnetic disk drives
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265
Magnetic fluid
magnetic fluid grinding of advanced ceramic balls, 148
Magnetic head
wear of tribo-elements of video tape recorders, 252
Magnetic storage
shear of confined perfluorinated molecules: Effect of side branching, 346
Magnetic tape
wear of tribo-elements of video tape recorders, 252
Mapping
scratching maps for polymers, 137
Mechanical properties
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
Microelectromechanical systems (MEMS)
surface engineering and microtribology for microelectromechanical systems, 305
Microstructure
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
Microtribology
surface engineering and microtribology for microelectromechanical systems, 305
Microwear
recent progress in microtribology, 296
Mixtures
fractionation of liquid lubricants at solid surfaces, 336
on the flow of emulsions in tribological contacts, 353
Modeling
mechanism-based modeling of friction and wear, 1
Modeling and microstructural modification
modeling and microstructural modification of alumina ceramic for improved tribological properties, 215
Molecular gas-film lubrication
recent progress in microtribology, 296

Nanoindentation
recent progress in microtribology, 296
Nanorheology
shear of confined perfluorinated molecules: Effect of side branching, 346
Nanostructure
abrasion resistance of nanostructured and conventional cemented carbides, 206

Non-conformal contact
the friction and wear of polymers in non-conformal contacts, 83
Nylon
tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 95

Pearlitic steel
surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling/sliding contact, 63
Perfluoropolyether
shear of confined perfluorinated molecules: Effect of side branching, 346
Polishing pad
effects of particle size, polishing pad and contact pressure in free abrasive polishing, 281
Poly(ether-ether-ketone)
tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 105
Polymeric composites
the friction and wear of polymers in non-conformal contacts, 83
Polymeric fluids
generalized effects in confined fluids: new friction map for boundary lubrication, 328
Polymers
the friction and wear of polymers in non-conformal contacts, 83
Polymer tribology
scratching maps for polymers, 137
Prediction
ceramic wear maps, 154

Ratchetting
a model for the mild ratchetting wear of metals, 38
Real area of contact
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265
Recession
wear of tribo-elements of video tape recorders, 252
Rheological behavior
generalized effects in confined fluids: new friction map for boundary lubrication, 328
Rigid-plastic approximation
the influence of surface deformation on mechanical wear, 45
Rolling/sliding wear
unlubricated sliding and rolling/sliding wear behavior of continuously cooled, low/medium carbon bainitic steels, 74
Rough surfaces
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265

Scratch hardness
scratching maps for polymers, 137
Selection guide
ceramic wear maps, 154
Self-assembled monolayers
surface engineering and microtribology for microelectromechanical systems, 305
Shakedown
a model for the mild ratchetting wear of metals, 38
Shear
shear of confined perfluorinated molecules: Effect of side branching, 346
Single crystal silicon
dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 238
Slide–roll ratio
surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling/sliding contact, 63
Sliding metallic wear test
sliding metallic wear test with in-process wear measurement: a new approach to collecting and applying wear data, 30
Stain
wear of tribo-elements of video tape recorders, 252
Stick-slip
shear of confined perfluorinated molecules: Effect of side branching, 346
Stiction micromechanisms
surface engineering and microtribology for microelectromechanical systems, 305
Subsurface damage
dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 238
Subsurface stresses
contact analysis of three-dimensional rough surfaces under frictionless and frictional contact, 265
Superlubricity
recent progress in microtribology, 296
Surface deformation
the influence of surface deformation on mechanical wear, 45
Surface initiated fatigue
surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling/sliding contact, 63
Surface modification
surface engineering and microtribology for microelectromechanical systems, 305
Surface roughness
evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 55

Testing microstructures
surface engineering and microtribology for microelectromechanical systems, 305
Thin liquid films
generalized effects in confined fluids: new friction map for boundary lubrication, 328
Three-body abrasive wear
effects of particle size, polishing pad and contact pressure in free abrasive polishing, 281
Tribochemical reaction
recent progress in microtribology, 296
Tribochemistry
in situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 233
Tribo-element
wear of tribo-elements of video tape recorders, 252
Tribology
tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 95
tribology of videotapes, 244
on the flow of emulsions in tribological contacts, 353

Ultrasonic C-scan
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
Unlubricated sliding
tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 105

Videotapes
tribology of videotapes, 244

Viscosity
fractionation of liquid lubricants at solid surfaces, 336
VTR (VCR)
wear of tribo-elements of video tape recorders, 252

Wafer machining
dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 238
Water lubrication
surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling/sliding contact, 63
WC–Co composite
abrasion resistance of nanostructured and conventional cemented carbides, 206
Wear
mechanism-based modeling of friction and wear, 1
a model for the mild ratchetting wear of metals, 38
the influence of surface deformation on mechanical wear, 45
the relationship between microstructure and wear of mica-containing glass-ceramics, 176
direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 225
wear of tribo-elements of video tape recorders, 252
Wear data application
sliding metallic wear test with in-process wear measurement: a new approach to collecting and applying wear data, 30
Wear maps
ceramic wear maps, 154
Wear mechanisms
abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 122
ceramic wear maps, 154
Wear modeling
ceramic wear maps, 154
effects of particle size, polishing pad and contact pressure in free abrasive polishing, 281
Wear transitions
ceramic wear maps, 154